



### T Series Dual and Multi Rectangular Pad Attachments

ANVER Manufactures and Stocks the Largest Selection of Rectangular Vacuum Pad Attachments (also known as "feet") as well as a Wide Variety of Spreader Beams, Manifolds, and other Vacuum Lifting Mounting Accessories in order to accommodate even the Most Difficult Lifting Applications. Our experienced sales engineers can help you choose the attachment that is best suited for your material handling needs.

#### Features:

- With over 60 standard sizes of vacuum pad attachments available, we make it easy for you to find the perfect attachment.
- Replaceable vacuum seals are available in both Neoprene and Natural Gum Rubber.
- Our New Versatile Four-Port Manifold Design allows for Higher Vacuum Flow for improved load holding ability.
- Rugged Extruded Aluminum Spreader Beams make Pad Adjustments Easier.
- A Variety of mounting styles are available to adapt to any vacuum lifting system.

Single Vacuum Pad Attachments			Can Be Used With ANVER Vacuum Tube Lifter Model:							
Pad Number	Width in. (mm)	Length in. (mm)	VT090	VT100	VT120	VT140	VT160	VT180	VT200	VT250
T-035060	3.5 (89)	6 (152)	X	X						
T-035080	3.5 (89)	8 (203)	X	X	X					
T-035100	3.5 (89)	10 (254)	X	X	X	X				
T-035120	3.5 (89)	12 (305)	X	X	X	X	X			
T-035160	3.5 (89)	16 (406)	X	X	X	X	X	X		
T-040065	4 (102)	6.5 (165)	X	X						
T-040085	4 (102)	8.5 (216)	X	X	X					
T-040105	4 (102)	10.5 (267)	X	X	X	X				
T-040125	4 (102)	12.5 (318)	X	X	X	X	X			
T-040165	4 (102)	16.5 (419)	X	X	X	X	X	X		
T-045065	4.5 (114)	6.5 (165)	X	X	X	X				
T-045080	4.5 (114)	8 (203)	X	X	X	X	X			

# Ergonomic Vacuum Tube Lifters



## Vacuum Pad Attachments

Single Vacuum Pad Attachments			Can Be Used With ANVER Vacuum Tube Lifter Model:							
Pad Number	Width in. (mm)	Length in. (mm)	VT090	VT100	VT120	VT140	VT160	VT180	VT200	VT250
T-045100	4.5 (114)	10 (254)	X	X	X	X	X			
T-045125	4.5 (114)	12.5 (318)	X	X	X	X	X	X	X	*
T-045150	4.5 (114)	15 (381)	X	X	X	X	X	X	X	*
T-045205	4.5 (114)	20.5 (521)	X	X	X	X	X	X	X	X
T-045245	4.5 (114)	24.5 (622)	X	X	X	X	X	X	X	X
T-050070	5 (127)	7 (178)	X	X	X	X				
T-050085	5 (127)	8.5 (216)	X	X	X	X	X			
T-050105	5 (127)	10.5 (267)	X	X	X	X	X			
T-050130	5 (127)	13 (330)	X	X	X	X	X	X	X	*
T-050155	5 (127)	15.5 (394)	X	X	X	X	X	X	X	*
T-050210	5 (127)	21 (533)	X	X	X	X	X	X	X	X
T-050250	5 (127)	25 (635)	X	X	X	X	X	X	X	X
T-055065	5.5 (140)	6.5 (165)	X	X	X	X	X			
T-055105	5.5 (140)	10.5 (267)	X	X	X	X	X	X	X	*
T-055120	5.5 (140)	12 (305)	X	X	X	X	X	X	X	*
T-055150	5.5 (140)	15 (381)	X	X	X	X	X	X	X	*
T-055190	5.5 (140)	19 (483)	X	X	X	X	X	X	X	X
T-060070	6 (152)	7 (178)	X	X	X	X	X			
T-060080	6 (152)	8 (203)	X	X	X	X	X			

\* Can only be used on a 4 Pad Configuration for VT250 systems

► This spec sheet was adapted for print from our website. Additional information and photos are available at [www.anver.com](http://www.anver.com). 3081301

36 Parmenter Road • Hudson MA 01749 USA • 978-568-0221 • 800-654-3500 • FAX 978-568-1570 • [www.anver.com](http://www.anver.com) • E-Mail: [sales@anver.com](mailto:sales@anver.com)



# Ergonomic Vacuum Tube Lifters

## Vacuum Pad Attachments

Single Vacuum Pad Attachments			Can Be Used With ANVER Vacuum Tube Lifter Model:							
Pad Number	Width in. (mm)	Length in. (mm)	VT090	VT100	VT120	VT140	VT160	VT180	VT200	VT250
T-060085	6 (152)	8.5 (216)	X	X	X	X	X			
T-060110	6 (152)	11 (279)	X	X	X	X	X	X	X	*
T-060125	6 (152)	12.5 (318)	X	X	X	X	X	X	X	*
T-060155	6 (152)	15.5 (394)	X	X	X	X	X	X	X	*
T-060195	6 (152)	19.5 (495)	X	X	X	X	X	X	X	X
T-065065	6.5 (165)	6.5 (165)	X	X	X	X	X			
T-065090	6.5 (165)	9 (229)	X	X	X	X	X	X	X	*
T-065105	6.5 (165)	10.5 (267)	X	X	X	X	X	X	X	*
T-065120	6.5 (165)	12 (305)	X	X	X	X	X	X	X	*
T-065160	6.5 (165)	16 (406)	X	X	X	X	X	X	X	X
T-070070	7 (178)	7 (178)	X	X	X	X	X			
T-070095	7 (178)	9.5 (241)	X	X	X	X	X	X	X	*
T-070110	7 (178)	11 (279)	X	X	X	X	X	X	X	*
T-070125	7 (178)	12.5 (318)	X	X	X	X	X	X	X	*
T-070165	7 (178)	16.5 (419)	X	X	X	X	X	X	X	X
T-075075	7.5 (191)	7.5 (191)	X	X	X	X	X	X	X	*
T-075085	7.5 (191)	8.5 (216)	X	X	X	X	X	X	X	*
T-075100	7.5 (191)	10 (254)	X	X	X	X	X	X	X	*
T-075130	7.5 (191)	13 (330)	X	X	X	X	X	X	X	X

\* Can only be used on a 4 Pad Configuration for VT250 systems

3081301 ➔ This spec sheet was adapted for print from our website. Additional information and photos are available at [www.anver.com](http://www.anver.com).

# Ergonomic Vacuum Tube Lifters



## Vacuum Pad Attachments

Single Vacuum Pad Attachments			Can Be Used With ANVER Vacuum Tube Lifter Model:							
Pad Number	Width in. (mm)	Length in. (mm)	VT090	VT100	VT120	VT140	VT160	VT180	VT200	VT250
T-080080	8 (203)	8 (203)	X	X	X	X	X	X	X	*
T-080090	8 (203)	9 (229)	X	X	X	X	X	X	X	*
T-080105	8 (203)	10.5 (267)	X	X	X	X	X	X	X	*
T-080135	8 (203)	13.5 (343)	X	X	X	X	X	X	X	X
T-085090	8.5 (216)	9 (229)	X	X	X	X	X	X	X	*
T-085120	8.5 (216)	12 (305)	X	X	X	X	X	X	X	X
T-090095	9 (229)	9.5 (241)	X	X	X	X	X	X	X	*
T-090125	9 (229)	12.5 (318)	X	X	X	X	X	X	X	X
T-095115	9.5 (241)	11.5 (292)	X	X	X	X	X	X	X	X
T-100120	10 (254)	12 (305)	X	X	X	X	X	X	X	X

\* Can only be used on a 4 Pad Configuration for VT250 systems