


Vacuum Cups & Suction Cups



VP26, VP36, VP47 and VP64



Used on Woodworking and Panel Handling Equipment

ANVER VP Series Vacuum Cups are designed for use on flat, smooth surfaces. Their low headroom and minimal flex make them an excellent choice for clamping and fixture devices. Replacement seals are available in four different materials, making these vacuum pads a versatile and economic choice for a variety of applications.

Features:

- Excellent for lifting smooth, rigid loads typically found in the furniture industry.
- Seals can be replaced without removing the entire cup.
- Long lasting aluminum hub can accommodate a variety of mounting sizes and styles.
- Replacement seals are available in Nitrile (NBR), Silicone (SIT), Urethane (PUR), and Vinyl (VYL).
- Variety of Mounting Options and Suspensions.
- Seals are interchangeable with the seals used on HDC Series Hold Down Clamps.

VP Series Vacuum Pad Assembly Specifications:

Nitrile NBR	A Dia. in. (mm)	C Flex in. (mm)	F Height in. (mm)	G in. (mm)	H Port	Rated Cap. lb. (kg)
VP26-NBR	2.56 (65)	0.25 (6.3)	0.63 (16)	1.57 (40)	1/4"NPT	14 (6.35)
VP26-SIT	2.56 (65)	0.25 (6.3)	0.63 (16)	1.57 (40)	1/4"NPT	14 (6.35)
VP26-PUR	2.56 (65)	0.25 (6.3)	0.63 (16)	1.57 (40)	1/4"NPT	14 (6.35)
VP26-VYL	2.56 (65)	0.25 (6.3)	0.63 (16)	1.57 (40)	1/4"NPT	14 (6.35)
VP36-NBR	3.54 (90)	0.25 (6.3)	0.68 (17)	2.32 (59)	3/8"NPT	30 (13.60)
VP36-SIT	3.54 (90)	0.25 (6.3)	0.68 (17)	2.32 (59)	3/8"NPT	30 (13.60)
VP36-PUR	3.54 (90)	0.25 (6.3)	0.68 (17)	2.32 (59)	3/8"NPT	30 (13.60)
VP36-VYL	3.54 (90)	0.25 (6.3)	0.68 (17)	2.32 (59)	3/8"NPT	30 (13.60)
VP47-NBR	4.63 (117)	0.25 (6.3)	0.68 (17)	3.47 (88)	3/8"NPT	50 (22.00)
VP47-SIT	4.63 (117)	0.25 (6.3)	0.68 (17)	3.47 (88)	3/8"NPT	50 (22.00)
VP47-PUR	4.63 (117)	0.25 (6.3)	0.68 (17)	3.47 (88)	3/8"NPT	50 (22.00)
VP47-VYL	4.63 (117)	0.25 (6.3)	0.68 (17)	3.47 (88)	3/8"NPT	50 (22.00)

➔ This spec sheet was adapted for print from our website. Additional information and photos are available at www.anver.com. 9002501

Vacuum Cups & Suction Cups



VP26, VP36, VP47 and VP64

VP Series Vacuum Pad Assembly Specifications (cont.):

Nitrile NBR	A Dia. in. (mm)	C Flex in. (mm)	F Height in. (mm)	G in. (mm)	H Port	Rated Cap. lb. (kg)
VP64-NBR	6.30 (160)	0.39 (10.0)	0.98 (25)	4.72 (120)	3/8"NPT	100 (45.00)
VP64-SIT	6.30 (160)	0.39 (10.0)	0.98 (25)	4.72 (120)	3/8"NPT	100 (45.00)
VP64-PUR	6.30 (160)	0.39 (10.0)	0.98 (25)	4.72 (120)	3/8"NPT	100 (45.00)
VP64-VYL	6.30 (160)	0.39 (10.0)	0.98 (25)	4.72 (120)	3/8"NPT	100 (45.00)

VP Series Vacuum Pad Replacement Seals and Hubs:

Part Number	Description	Fits Vacuum Pad
VP26-H	Aluminum Hub Only	VP26-XXX
26-NBR	Nitrile Seal Only	VP26-NBR
26-SIT	Silicone Seal Only	VP26-NBR
26-PUR	Polyurethane Seal Only	VP26-NBR
26-VYL	Vinyl Seal Only	VP26-NBR
VP36-H	Aluminum Hub Only	VP36-XXX
36-NBR	Nitrile Seal Only	VP36-NBR
36-SIT	Silicone Seal Only	VP36-NBR
36-PUR	Polyurethane Seal Only	VP36-NBR
36-VYL	Vinyl Seal Only	VP36-NBR

► This spec sheet was adapted for print from our website. Additional information and photos are available at www.anver.com. 9002501

Vacuum Cups & Suction Cups

VP26, VP36, VP47 and VP64



VP Series Vacuum Pad Replacement Seals and Hubs:

Part Number	Description	Fits Vacuum Pad
VP47-H	Aluminum Hub Only	VP47-XXX
47-NBR	Nitrile Seal Only	VP47-NBR
47-SIT	Silicone Seal Only	VP47-NBR
47-PUR	Polyurethane Seal Only	VP47-NBR
47-VYL	Vinyl Seal Only	VP47-NBR
VP64-H	Aluminum Hub Only	VP64-XXX
64-NBR	Nitrile Seal Only	VP64-NBR
64-SIT	Silicone Seal Only	VP64-NBR
64-PUR	Polyurethane Seal Only	VP64-NBR
64-VYL	Vinyl Seal Only	VP64-NBR